

Item# KS-0108



S P O R T S

## **TWIN VALVE FLOOR PUMP**

**OWNER'S MANUAL**

**Congratulations On Your  
Purchase of a Kolo Sports  
Bike Pump Kit**

**Thank you for purchasing a  
Kolo Sports product.  
You can rest assured that you  
have purchased a high quality,  
Fully Warranted product.**

[support@kolosports.com](mailto:support@kolosports.com)

[WWW.KOLOSPORTS.COM](http://WWW.KOLOSPORTS.COM)



# BIKE PUMP FEATURES

ERGONOMIC  
RUBBERIZED  
HANDLE

TWIN VALVE  
FOR PRESTA,  
SCHRADER &  
DUNLOP

BONUS BALL  
NEEDLES

PRESSURE  
GAUGE

FOOT STAND  
WITH  
RUBBERIZED  
SPIKES FOR  
STABILITY


160 PSI  
MAXIMUM  
PRESSURE

2.5" DIAMETER  
EASY-TO-READ  
GAUGE



# TWIN VALVE

# BONUS NEEDLES



# TIRE INFLATION INSTRUCTIONS

This manual contains detailed instructions on how to use your new Kolo Sports bike pump. Read instructions carefully. For more information visit us at [www.kolosports.com](http://www.kolosports.com)



1

**ATTACH PUMP TO VALVE**



2

**RAISE LEVER TO LOCK**



3

**PUMP TO INFLATE TIRE**

In order to inflate a low tire, first remove the valve stem cover and determine whether you have a presta or schrader style valve stem. Adjust valve as needed and attach pump to valve stem. Flip up lock lever to lock pump to valve. Extend & press pump to inflate the low tire. When you reach the correct tire pressure, unlock and remove pump. Replace the valve stem cover.

# TIRE REPAIR INSTRUCTIONS



To begin repairs, unbolt and remove wheel from bike frame. Insert the flat end of one of the tire tools in between the wheel rim and bead of tire. Pry tire tool down and hook opposite end onto one of the tire spokes which will create a gap between the rim and tire. Insert the second tire tool into the gap next to the first tire tool and slide the second tire tool around the circumference of the wheel rim. This will pop the tire off the rim and allow you remove the inner tube. Once you locate the hole in the inner tube, clean area, roughen area with sand paper, center patch above hole and press firmly. Place inner tube back into tire, place the tire back onto the rim and inflate to the correct pressure. Place wheel back into frame and tighten bolts.

# BALL INFLATION INSTRUCTIONS



- 1 INSERT BALL NEEDLE AND LIFT THUMB LEVER TO LOCK THE NEEDLE INTO PLACE
- 2 INSERT NEEDLE INTO THE BALL VALVE AND PUMP TO INFLATE



**GLUELESS  
PATCHES**

**BALL  
NEEDLES**

**TIRE  
TOOLS**

**Durable Reinforced Nylon With Fiber Tire Tools Prevent Damage To Bike Rims**



PREFERRED  
CUSTOMER  
DISCOUNT

S P O R T S

THANK YOU FOR YOUR PURCHASE

**10% OFF**  
**COUPON**

**ANY KOLO SPORTS  
MERCHANDISE**

**COUPON CODE# 0000288**

[www.kolosports.com](http://www.kolosports.com)



[www.kolosports.com](http://www.kolosports.com)



### Quality Guaranteed

**Quality is our #1 priority here at Kolo Sports.**

**All Kolo Sports products come with a Lifetime Warranty on manufacturing defects and a 5 year total coverage replacement warranty on any product that fails under normal usage conditions.**

MADE IN TAIWAN